

Quality of the Soil, Timber, &c. on the Township Lines.		East Boundary.	
Sec. 36	25	Land 1 st same	
	24	Same	
	13	Same	
	12	Same	
	1	Level and 2 nd rate, timbered on river bottom. Ash, Elm, Maple, Oak, Mug. Hazle &c.	
South Boundary.		East Boundary.	
Sec. 36	36	Land rolling Soil poor; Timber Oak	
"	35		
"	34		
"	33		
"	32		
"	31		
35, 36,			
25, 36,		Land Prairie wet & mostly Timber, Bl. & W. Oak &c. Soil 2 nd rate	
25, 26,		Land rolling Sandy 3 rd rate. Bl. & W. Oak	
24, 25,			
23, 24,		Land Prairie level and very wet &c.	
13, 24,			
13, 14,		Land wet level. Prairie &c.	
12, 13,			
11, 12,		Land level wet Prairie 2 nd rate	
1, 12,			
1, 2,			
34, 35,			
26, 35,			
26, 27,			
23, 26,			
22, 23,			
14, 23,			
14, 15,			
11, 14,			
10, 11,			
2, 11,			
2, 3,			
33, 34,			
27, 34,			
27, 28,			
22, 27,			
21, 22,			
15, 22,			
15, 16,			
10, 15,			
9, 10,			
3, 10,			
3, 4,			
32, 33,			
28, 33,			
28, 29,			
21, 28,			
20, 21,			
16, 21,			
16, 17,			
9, 16,			
8, 9,			
4, 9,			
4, 5,			
31, 32,			
29, 32,			
30, 31,			
29, 30,			
20, 29,			
19, 30,			
19, 20,			
17, 20,			
18, 19,			
17, 18,			
8, 17,			
7, 18,			
7, 8,			
5, 8,			
6, 7,			
5, 6,			

Description of the Land, Timber, &c. on the Interior Sectional Lines.

Memorandum Field Notes in N. W. Vol. XXIV p. 365 Cornucopia & Kankakee Rivers				
Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
1	Birch	15	S 43 1/2 W	335
	D. Ash	25	S 71 W	417
2	M. Ash	10	Corner	
3	Birch	14	S 21 E	486
4	Birch	14	Corner	
5	Ash	5	Corner	
6	Birch	15	S 21 W	12
	Maple	16	S 31 W	15
7	Milow	5	Corner	
8	Maple	14	S 35 W	527
	No other			
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				

The figures in this column refer to the Posts numbered in red ink on the Plates.

Exterior Section and Quarter Section Corners Described.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
A	Post in	Mound		
a				
B				
b				
C				
c				
D				
d				
E				
e				


Interior Section Corners Described.

				Corners of Sections.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
F	U. Oak	16	S 79° E	803				
	W. Oak	28	S 57 3/4° E	7.87				
G	Wich	18	S 90° E	4.88				
	Do	12	S 58° W	6.92	25, 26, 35, 36,			
S	Do	4	S 67° W	3.15				
	Do	4	S 80° W	2.19	23, 24, 25, 26,			
H	Do				13, 14, 23, 24,			
h	Do				11, 12, 13, 14,			
I	Do				1, 2, 11, 12,			
i	Do				26, 27, 34, 35,			
K	S.D. Oak	20	S 25° W	1.50				
	N. Oak	8	S 85° W	.52	22, 23, 26, 27,			
k	W. Oak	34	S 17° W	.58				
	Do	24	S 85° W	1.07	14, 15, 22, 23,			
L	U. Oak	10	S 91° W	.69				
	Do	16	S 56° W	.46	10, 11, 14, 15,			
l	Aspen	8	S 16 1/2° E	1.52				
	Do	6	S 66 3/4° E	2.52	2, 3, 10, 11,			
M	U. Oak	12	S 19° W	.25				
	Do	14	S 17 1/2° W	.66	27, 28, 33, 34,			
m	Do	20	S 45° W	1.20				
	Do	20	S 89° W	.67	21, 22, 27, 28,			
N	S.D. Oak	16	S 18 1/2° W	4.21				
	Do	15	S 47 1/2° W	5.38	15, 16, 21, 22,			
n	W. Oak	16	S 44° W	2.66				
	Do	12	S 17 1/2° W	2.81	9, 10, 15, 16,			
O					3, 4, 9, 10,			
P					28, 29, 32, 33,			
p					20, 21, 28, 29,			
Q					16, 17, 20, 21,			
q					8, 9, 16, 17,			
R					4, 5, 8, 9,			
r					29, 30, 31, 32,			
S					19, 20, 29, 30,			
s					17, 18, 19, 20,			
T	W. Oak	12	S 79° E	.29	7, 8, 17, 18,			
	Do	6	S 64° E	.21				
t					5, 6, 7, 8,			
U	S.D. Oak	22	S 81° E	.12				
	Do	18	S 40 1/2° E	.29				

Interior Quarter Section Corners Described.

[illegible]

Township N.º 31 N. Range N.º 10 West 2nd Mer. Ind.^a



Surveyed in 1835 by Samuel Goodnow, Deputy Surveyor.

*I certify that the above is a true copy of the
Original plat in this Office.*

Surveyor General's Office.
Detroit Nov. 1. 1849.